

Lucerne in the Limelight



Homegrown forage is the cheapest way to feed livestock and a robust high protein crop is extremely valuable to dairy and beef systems.

Lucerne (*medicago sativa*) is a high protein forage legume which can be used for silage and hay and can be extremely beneficial as a buffer feed in times when grazing may be in short supply, during dry summers and harsh winters. It is grown in large areas across the world, predominantly in the US, Europe and South America, where it is also known as Alfalfa.

The Many Benefits of Lucerne

High Protein Content - Lucerne's high protein content increases milk and meat production and it can be a very useful compliment to high carbohydrate and fibre diets like maize. At around 20% protein, Lucerne can be a cheaper alternative to bought in protein like soya and has a higher level of protein than the average perennial ryegrass which is typically 6-8% lower than Lucerne.

High Voluntary Intake - It also has a high voluntary intake due to its good palatability which helps increase production. When we speak to farmers who regularly grow Lucerne we hear the same comments time and time again: 'My stock do really well on Lucerne, they can't get enough of it!'

High Yield - Lucerne provides 3 to 4 and sometimes even 5 cuts per year. It has a dry matter yield of 10-15 tonnes/ha, which is comparable to a good perennial ryegrass yield and it offers much better summer regrowth than grass or maize alternatives. It will persist for at least 4 years and in some cases has been known to continue production for up-to 5 or 6 years. It is extremely robust with exceptional drought resistance due to its deep roots which often reach deeper than 2 metres throughout the soil profile, which is ideal for dry land farms.

Nitrogen Fixation - The plant is leguminous, which means it can convert atmospheric nitrogen from the air into a resource that can be used to help the plant grow. This is done by a symbiotic association between the root nodules on the plant and soil bacteria called *Rhizobium* which 'fix' atmospheric nitrogen into the soil. Conservative estimates put the amount of nitrogen fixed in the soil at between 150-300 kg of N per hectare, to be used by the plant and potentially by subsequent crops. A healthy root nodule capable of fixing nitrogen is distinguished by its large size and reddish pink colour. They are usually active from spring to

early autumn, when soil temperature is relatively warm.

To gain the most from the nitrogen fixation capabilities of Lucerne, the seed should be inoculated immediately prior to sowing, especially if this is the first time the plant has been grown in a particular field. Inoculation involves mixing the seed with a strain of bacteria necessary to make the right relationship between the plant and the soil and ensuring the correct strain of *Rhizobium meliloti* is present. A grainy inoculum powder is usually provided with the seeds.

Growing Lucerne - Pitfalls and Pointers

So with all these benefits, why is Lucerne not being grown more widely in the UK? It has a reputation for being a difficult crop to establish and grow in this country. However advances in varieties and farm machinery, as well as following some simple guidelines, mean these issues can be overcome.

Soil Type, PH and Temperature

The plant thrives on well drained lighter soils with a reasonable pH of 6.2 and above. However crops have been established on heavier soils, but these must have a free draining permeable subsoil, to stop water-logging. Poor drainage, compaction and acidic soils are Lucerne's worst enemy.

Spring through to early summer is the recommended time for sowing a Lucerne crop. Warmer spring soils, above 8°C, aid the germination and establishment of seedlings. It is notoriously slow to grow in the first year so a late autumn sowing into cooling soils is not recommended. On poorer soils a robust sowing rate of 20 kg per hectare should be used.

Companion Species

The advantage of growing Lucerne as a pure stand is the availability of herbicides, products such as propyzamide and carbetamide, to control weeds. However, if Lucerne is under sown into a spring cereal, the cereal component acts as a nurse crop which helps establishment and can reduce weed competition. Priority should be given to the Lucerne crop and the cereal removed as soon as possible. Often the cereal will be taken for whole-crop silage, at the milky stage to allow the under sown Lucerne space and light to develop. If an under sowing is carried out the cereal seed rate should be reduced by 25 to 50%.

An alternative is to grow a mixture of Lucerne and grasses. Less aggressive grass species like meadow fescue and Timothy are often used and on occasions low levels of perennial ryegrass can be included with Lucerne. Cocksfoot can be a useful companion on particularly dry land, where the deepest roots possible are needed to access moisture. The grasses are included at a low rate so that they do not outcompete the Lucerne. Companion grasses help to fill in the bottom of the sward, creating competition for weed seedlings. It can also increase yields and improve the overall sugar content of the crop making it easier to

ensile. However due to the different seed sizes the species should be sown separately, with the Lucerne shallow drilled (max 1cm) and the companion grass broadcast on the surface and rolled in as one.

Harvesting

In the first year of establishment the crop should be cut rather than grazed, shortly after flowering, leaving a stubble height of roughly 10cm. The yield will be approximately 20-40 % of the full yield in year 2. Spring sown crops should be cut by the middle of August to allow adequate time to rebuild root reserves before winter arrives.

The harvest in subsequent years should be carried out when the plant is at the early flower bud stage which gives the best balance between yield and quality, which drops off after the flowers have opened. However, for the very first spring, cut at full flowering to allow reserves in the plant to fully develop.

After year 1 the crop is usually harvested around the second or third week of May. Subsequent cuts at 6 week intervals can be carried out with good regrowth occurring throughout the summer months. The last cut should be carried out 6 weeks before the end of the growing season, in the middle of October.

Typically Lucerne is not thought of as a grazing crop, as set stocking a Lucerne field for long periods of time can damage the plant crown, between the last leaf and soil surface. This can lead to moisture and rot affecting the health of the plant, causing it to die off. A brief graze may be beneficial at the end of the season if the crop is particularly leafy going into the winter, however it should be noted that bloat can be a risk when grazing a standing crop. The risk of bloat is almost entirely reduced once the crop is conserved into silage or hay.

Making Silage and Hay

A Lucerne crop will often be conserved into silage or hay for fodder later in the season. Traditionally it has been ensiled into the silage pit for over winter use. The characteristics of the plant mean that it has a low sugar content and high buffering capacity, which makes lowering the pH difficult. Lowering the pH is important to ensure the crop is properly fermented and is correctly preserved in the clamp or bale. A silage additive can help make this process more reliable. Big balers and wrappers have made silaging Lucerne into bales quicker and easier to handle, with less wastage than traditional clamp silage. Mower conditioners with crimpers can help speed up the wilting process, when making hay and silage. When wrapping big bales, it is useful to note that several layers of plastic should be used to reduce the chance of stems puncturing the wrapping.

Lucerne can also be made into hay, although this is a slightly trickier process than silage making. The stem takes longer to dry than the leaves, resulting in a higher leaf loss due to shattering if it is over dried or moved too many times. The crop should be

turned when dew is on the ground and the leaves are less brittle and it should be moved gently, as few times as possible to reduce losses.

Although there can be several challenges to growing Lucerne the benefits of a high protein crop, with no reliance on artificial nitrogen and excellent drought resistance makes it a very profitable crop in the beef and dairy sector.

Recently it has been included in the 'greening' measures of the common agricultural policy. When sown as a pure stand it can be used as a pasture legume option under the crop diversification criteria and when sown as a mixture with a grass companion it's listed as temporary grassland.

The many advantages of Lucerne may help to bring renewed interest in this 'shrinking violet' of UK livestock forage.

by Technical Advisor, Sam Lane

Date Posted: 30th March 2017